

Suzhou Sndvac Electric Appliance CO., limited

Factory Add: NO.988, Pusha road,Wuzhong District,Suzhou,China

Tel: +86-512-66537145


FaX: +86-512-68362107

E-Mail: rayzhang@sndvac.com

TeL: +86-13706202143

Sndvac

Dust removal expert





ABOUT US

Suzhou Sndvac Electric Appliance CO., limited is a professional manufacturer of small household appliances founded in 2016. locates in Wuzhong District,Suzhou of China, which is near Shanghai-the world famous city,the land,water and air transportation are all very convenient.The company is mainly engaged in producing and marketing household vacuum cleaners,and accessories.There are 100 staff members in the company and it covers an area of 4500 sq meters,The annual vacuum cleaners production capacity is 10,000,00 units.The company has gained the certification of ISO9001 and products comply with (RoHS) CE, GS, CB, CCC, KC etc approved.

CONTENTS | **SNDVAC** | 2024版[®]


DC PRODUCT SERIES

VC2401	-----	1 - 2
VC2301	-----	3 - 4
VC2302	-----	5 - 6
VC2303	-----	7 - 8
VC2101	-----	9 - 10
VC2002	-----	11 - 12
CT2001	-----	13 - 14
VC2001A	-----	15 - 16
VC2001B	-----	17 - 18
VC918	-----	19 - 20
VC919	-----	21 - 22
VC1801A	-----	23 - 24
VC1801B	-----	25 - 26
VC1601A	-----	27 - 28
VC1601B	-----	29 - 30
VC1602	-----	31 - 32
VC804	-----	33 - 34

AC PRODUCT SERIES

VC2101AC	-----	37 - 38
VC2002AC	-----	39 - 40
VC1601AC	-----	41 - 42
KB01AC	-----	43 - 44

ACCESSORIES	-----	45
--------------------	-------	----



Sndvac

DC PRODUCT SERIES



VC2401



High suction power
2200 mAh / 2000 mAh powerfull LI-ion battery
Long working - time
Two - speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA

Product Model
□ VC2401



Features Specifications and Parameters

Motor category	Brush Motor		Brushless Motor			
Voltage (v)	21.6V	14.8V	22.2V	22.2V	25.9V	
Battery capacity	2200 mAh					
Power (w)	180W	350W	200W	350W	400W	
Suction (kpa)	High	12	20	20	25-30	30
	Medium	/	11-13	12-15	13-15	13-15
	low	6-8	8-10	8-10	8-10	10-12
Working time (min)	High	20	20	20	15	15
	Medium	/	30	30	25	20
	low	40	40	40	45	45
Display	Digital display					
Dust capacity (L)	0.4					
Weight (KG)	1.1	1.1	1.1	1.1	1.1	



LED light display



VC2301




- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working-time
- Two-speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA

Features Specifications and Parameters

Motor category	Brush motor	Brushless Motor					
Voltage (V)	21.6V	11.1V	14.8V	22.2V	22.2V	25.9V	
Battery capacity	2200 mAh						
Power (W)	180W	200W	350W	200W	350W	400W	
Suction (kpa)	High	12	20	20	20	25-30	30
	Medium	/	/	11-13	12-15	13-15	13-15
	low	6-8	8-10	8-10	8-10	8-10	10-12
Working time (min)	High	20	20	20	20	15	15
	Medium	/	/	30	30	25	20
	low	40	40	40	40	45	45
Display	LED light display						
Dust capacity (L)	1.1						
Weight (KG)	1.2	1.1	1.2	1.3	1.3	1.4	



LED light display



VC2302



- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working-time
- Two-speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA

Features Specifications and Parameters

Motor category	Brush motor	Brushless Motor					
Voltage (V)	21.6V	11.1V	14.8V	22.2V	22.2V	25.9V	
Battery capacity	2200 mAh						
Power (W)	180W	200W	350W	200W	350W	400W	
Suction (kpa)	High	12	20	20	20	25-30	30
	Medium	/	/	11-13	12-15	13-15	13-15
	low	6-8	8-10	8-10	8-10	8-10	10-12
Working time (min)	High	20	20	20	20	15	15
	Medium	/	/	30	30	25	20
	low	40	40	40	40	45	45
Display	Digital display						
Dust capacity (L)	1.1						
Weight (KG)	1.2	1.1	1.2	1.3	1.3	1.4	



VC2303



- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working-time
- Two-speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA

Product Model
 □ VC2303



Features Specifications and Parameters

Motor category	Brush motor	Brushless Motor					
Voltage (v)	21.6V	11.1V	14.8V	22.2V	22.2V	25.9V	
Battery capacity	2200 mAh						
Power (w)	180W	200W	350W	200W	350W	400W	
Suction (kpa)	High	12	20	20	20	25-30	30
	Medium	/	/	11-13	12-15	13-15	13-15
	low	6-8	8-10	8-10	8-10	8-10	10-12
Working time (min)	High	20	20	20	20	15	15
	Medium	/	/	30	30	25	20
	low	40	40	40	40	45	45
Display	Digital display						
Dust capacity (L)	1.1						
Weight (KG)	1.2	1.1	1.2	1.3	1.3	1.4	



VC2101



- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working - time
- Two - speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA

Product Model
■ VC2101



Features Specifications and Parameters

Motor category	Brush Motor	Brushless Motor					
Voltage (v)	21.6V	11.1V	14.8V	22.2V	22.2V	25.9V	
Battery capacity	2200 mAh						
Power (w)	180W	200W	350W	200W	350W	400W	
Suction (kpa)	High	12	20	20	20	23	27
	Medium	/	/	11-13	12-15	13-15	13-15
	low	6-8	8-10	8-10	8-10	8-10	10-12
Working time (min)	High	20	20	20	20	15	15
	Medium	/	/	30	30	25	20
	low	40	40	40	40	45	45
Display	LED light display						
Dust capacity (L)	1.1						
Weight (KG)	1.2	1.1	1.2	1.3	1.3	1.4	




VC2002



- High suction power
- 2200mAh/2000mAh powerfull LI-ion battery
- Long working-time
- Two-speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category	Brush Motor		Brushless Motor			
Voltage (V)	21.6V	11.8V	22.2V	22.2V	28.8V	
Battery capacity	2200 mAh					
Power (W)	180W	100W	200W	350W	380W	
Suction (kpa)	High	12	15	20	23	27
	Medium	/	/	/	/	/
	low	6-8	8-10	8-10	8-10	10-12
Working time (min)	High	20	18	20	15	20
	Medium	/	/	/	/	/
	low	40	40	40	45	45
Display	LED light display					
Dust capacity (L)	0.8					
Weight (KG)	1.27	1	1.25	1.26	1.32	



CT2001



High suction power
2200 mAh / 2000 mAh powerful Li-ion battery
Long working-time

Two-speed control
Motor brush with LED lights
Washable HEPA

Product Model
□ CT2001



Features Specifications and Parameters

Motor category	Brush Motor			Brushless Motor		
Voltage (V)	7.4V	11.1V	14.8V	11.1V	14.8V	
Battery capacity	2200 mAh					
Power (W)	80W	100W	120W	90W	120W	
Suction (kpa)	High	5	7	9	13	15
	Medium	/	/	/	/	/
	low	3	4	4	6	8
Working time (min)	High	10	12	15	13	15
	Medium	/	/	/	/	/
	low	20	25	30	25	30
Display	LED light display					
Dust capacity (L)	0.4					
Weight (KG)	0.3	0.45	0.35	0.45	0.6	




VC2001-A



High suction power
 2200mAh/2000mAh powerfull LI-ion battery
 Long working-time
 Two-speed control

Battery status indicator with LED lights
 Motor brush with LED lights
 Washable HEPA



For other options,
 see page 33.



Features Specifications and Parameters

Motor category	Brush Motor		Brushless Motor	
Voltage (V)	21.6V		22.2V	22.2V
Battery capacity	2200W			
Power (W)	180W		200W	350W
Suction (kpa)	High	12	20	23
	Medium	8-10	13-15	13-15
	low	6-8	8-10	8-10
Working time (min)	High	20	20	15
	Medium	30	30	25
	low	45	40	55
Display	Digital display			
Dust capacity (L)			1.1	
Weight (KG)	1.5		1.3	1.3





VC2001-B



High suction power
2200mAh/2000mAh powerfull LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category		Brush Motor		Brushless Motor	
Voltage (V)		21.6V		22.2V	22.2V
Battery capacity		2200W			
Power (W)		180W		200W	350W
Suction (kpa)	High	12	20	23	
	Medium	8-10	13-15	13-15	
	low	6-8	8-10	8-10	
Working time (min)	High	20	20	15	
	Medium	30	30	25	
	low	45	40	55	
Display		Digital display			
Dust capacity (L)		1.1			
Weight (KG)		1.5	1.3	1.3	



VC918



- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working - time
- Two - speed control

- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA

Product Model
 □ VC918



Features Specifications and Parameters

Motor category	Brush Motor		Brushless Motor	
Voltage (V)	21.6V		22.2V	22.2V
Battery capacity	2200W			
Power (W)	180W		200W	350W
Suction (kpa)	High	12	20	23
	Medium	8-10	13-15	13-15
	low	6-8	8-10	8-10
Working time (min)	High	20	20	15
	Medium	30	30	25
	low	45	40	55
Display	Digital display			
Dust capacity (L)			1.1	
Weight (KG)	1.5		1.3	1.3



VC919



High suction power
2200 mAh / 2000 mAh powerfull LI-ion battery
Long working - time
Two - speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA

Product Model
VC919



Features Specifications and Parameters

Motor category	Brush Motor		Brushless Motor			
Voltage (V)	21.6V	11.1V	14.8V	11.1V	14.8V	
Battery capacity	2200 mAh					
Power (W)	180W	100W	200W	350W	380W	
Suction (kpa)	High	12	15	20	25-30	30
	Medium	/	/	/	/	/
	low	6-8	8-10	8-10	8-10	10-12
Working time (min)	High	20	18	20	15	20
	Medium	/	/	/	/	/
	low	40	40	40	45	45
Display	Digital display					
Dust capacity (L)	0.4					
Weight (KG)	0.8	0.8	0.8	0.8	0.8	




VC1801-A



High suction power
2200mAh/2000mAh powerfull LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category		Brush motor	Brushless Motor	
Voltage (V)		21.6V	22.2V	22.2V
Battery capacity		2200W		
Power (W)		180W	200W	350W
Suction (kpa)	High	12	20	23
	Medium	/	/	/
	low	6-8	8-10	8-10
Working time (min)	High	20	20	15
	Medium	/	/	/
	low	40	40	45
Display		LED light display		
Dust capacity (L)		1.1		
Weight (KG)		1.5	1.3	1.4




VC1801-B



High suction power
2200mAh/2000mAh powerfull LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category		Brush motor	Brushless Motor	
Voltage (V)		21.6V	22.2V	22.2V
Battery capacity		2200W		
Power (W)		180W	200W	350W
Suction (kpa)	High	12	20	23
	Medium	/	/	/
	low	6-8	8-10	8-10
Working time (min)	High	20	20	15
	Medium	/	/	/
	low	40	40	45
Display		LED light display		
Dust capacity (L)		1.1		
Weight (KG)		1.5	1.3	1.4



VC1601-A



High suction power
2200mAh/2000mAh powerfull LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



Features Specifications and Parameters

Motor category	Brush motor					
Voltage (v)	10.8V	14.8V	18V	21.6V	25.2V	
Battery capacity	2200 mAh					
Power (w)	100W	120W	150W	180W	180W	
Suction (kpa)	High	5	9	9	12	12
	Medium	/	/	/	/	/
	low	3	4	5	6-8	6-8
Working time (min)	High	12	15	18	20	23
	Medium	/	/	/	/	/
	low	25	27	32	35	40
Display	LED light display					
Dust capacity (L)	1.0					
Weight (KG)	1.15	1.25	1.3	1.35	1.4	



VC1601-B



High suction power
 2200mAh/2000mAh powerfull LI-ion battery
 Long working-time
 Two-speed control

Battery status indicator with LED lights
 Motor brush with LED lights
 Washable HEPA



Features Specifications and Parameters

Motor category	Brush motor					
Voltage (v)	10.8V	14.8V	18V	21.6V	25.2V	
Battery capacity	2200 mAh					
Power (w)	100W	120W	150W	180W	180W	
Suction (kpa)	High	5	9	9	12	12
	Medium	/	/	/	/	/
	low	3	4	5	6-8	6-8
Working time (min)	High	12	15	18	20	23
	Medium	/	/	/	/	/
	low	25	27	32	35	40
Display	LED light display					
Dust capacity (L)	1.0					
Weight (KG)	1.15	1.25	1.3	1.35	1.4	




VC1602



High suction power
2200mAh/2000mAh powerfull LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



For other options, see page 33.



Features Specifications and Parameters

Motor category		Brush motor	Brushless Motor
Voltage (V)		14.8V	18V
Battery capacity		2200 mAh	
Power (W)		120W	150W
Suction (kpa)	High	8	10
	Medium	/	/
	low	5	8
Working time (min)	High	12	18
	Medium	/	/
	low	30	35
Display		LED light display	
Dust capacity (L)		1.0	
Weight (KG)		1.2	1.3

VC804



Cordless Floor Washer
High suction power
2600mah powerful Li-ion battery
Long working-time

Two-speed control
Low Noise
Screen Display
Electrolytic Water



Product Model

VC804



Features Specifications and Parameters

Motor category	Brushless Motor	
Voltage (v)	25.9V	
Battery capacity	2500 mAh	
Power (w)	120W	
Suction (kpa)	High	14
	Medium	/
	low	6
Working time (min)	High	25
	Medium	/
	low	40
Display	Weight digital display	
Dust capacity (L)	1.0	
Weight (KG)	4.2	

Strong Suction Force

Can leave only blue in the sky



Sindvac

AC PRODUCT SERIES





VC2101AC

- High suction power
- 2200 mAh / 2000 mAh powerfull LI-ion battery
- Long working - time
- Two - speed control



- Battery status indicator with LED lights
- Motor brush with LED lights
- Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category	Brushless Motor (AC)
Voltage (V)	100-240V
Frequency	50-60Hz
Power (W)	400W
Suction (kpa)	13
Dust capacity (L)	1.1
Weight (KG)	1.2
Electric floor brush	Optional electric floor brush



VC2002AC



High suction power
Washable HEPA

High efficient brush
Cyclone dust cup



A1

Brush selection



A2

Brush selection



A3

Brush selection

For other options,
see page 33.



Features

Specifications and Parameters

Motor category	Brushless Motor (AC)	
Voltage (V)	100-240V	
Frequency	50-60Hz	
Power (W)	400W	600W
Suction (kpa)	13	15
Dust capacity (L)	0.8	0.8
Weight (KG)	1.2	1.3
Electric floor brush	Optional electric floor brush	



VC1601 AC



High suction power
2200mAh/2000mAh powerful LI-ion battery
Long working-time
Two-speed control

Battery status indicator with LED lights
Motor brush with LED lights
Washable HEPA



For other options,
see page 33.



Features Specifications and Parameters

Motor category	Brushless Motor (AC)		
Voltage (V)	100-240V		
Frequency	50-60Hz		
Power (W)	400W	600W	800W
Suction (kpa)	13	15	17
Dust capacity (L)	1.0	1.0	1.0
Weight (KG)	1.1	1.2	1.3
Electric floor brush	Optional electric floor brush		



KB01



High suction power
Washable HEPA

High efficient brush
Cyclone dust cup



A1

Brush selection



A2

Brush selection



A3

Brush selection

For other options,
see page 33.



Features Specifications and Parameters

Motor category	Brushless Motor (AC)		
Voltage (V)	100-240V		
Frequency	50-60Hz		
Power (W)	400W	600W	800W
Suction (kpa)	13	15	17
Dust capacity (L)	1.2	1.2	1.1
Weight (KG)	1.2	1.3	1.4



■ Product Model
ACCESSORIES



2 in 1 Brush (C1)



2 in 1 Brush (C2)



2 in 1 Brush (C3)



Round Brush



Crevice Nozzle



Bend Brush



UV Brush



Pet Brush



Foldable Tube



Flexible Tube




Charger

Sndvac


Dust removal expert

For more business needs,
please contact us



Suzhou Sndvac Electric Appliance Co. Ltd. 

Ray Zhang
General Manager
86-13706202143

 No.988,Pusha Road,Wuzhong District,Suzhou,china
 0512-68362793
 rayzhang@sndvac.com
 www.sndvac.com

